



**Afaf Rozan Mohd Radzol**

*Centre for Electrical Engineering Studies, Universiti Teknologi MARA, Cawangan Pulau Pinang, Pulau P*

**Khuan Y Lee**

*Center of System Studies, School of Electrical Engineering, Collage of Engineering, Universiti Teknologi*

**Peng Shyan Wong**

*Infectious Disease Unit, Penang General Hospital, Georgetown, Pulau Pinang, Malaysia*

**Irene Looi**

*Clinical Research Centre, Seberang Jaya Hospital, Seberang Jaya, Perai, Pulau Pinang, Malaysia*

**Wahidah Mansor**

*Center of System Studies, School of Electrical Engineering, Collage of Engineering, Universiti Teknologi*

## Abstract

The surface-enhanced Raman spectroscopy (SERS) method exploits the plasmonic effect of nano-si



**Keyword:** SERS, Machine Learning, Dengue, NS1

**DOI:** <https://doi.org/10.24191/esteem.v20iMarch.616.g534>

## References:

- [1] W. H. Organization, *Dengue guidelines for diagnosis, treatment, and control: new edition* 2009, World Health Organization, 2009.
- [2] S. Alcon, A. Talarmin, M. De Meillon, A. Falconar, W. Deubel, and B. Sam, 2002, *Enzyme-linked immunosorbent assay (ELISA) for dengue virus*, *Journal of Clinical Microbiology*, vol. 40, no. 2, pp. 316–318, 2002. Available: <https://doi.org/10.1128/JCM.40.2.316-318.2002>
- [3] D. H. Libraty et al., “Highly distinct levels of dengue viremia in patients with dengue fever,” *Journal of Infectious Diseases*, vol. 186, no. 8, pp. 1155–1161, 2002. Available: <https://doi.org/10.1093/infdis/186.8.1155>
- [4] K. L. Anders et al., “A novel tropical dengue blood spot assay for dengue virus detection,” *Journal of Clinical Microbiology*, vol. 47, no. 1, pp. 165–169, 2009. Available: <https://doi.org/10.1128/JCM.47.1.165-169.2009>
- [5] I. Gutsche et al., “Sequencing of the NS5A gene of dengue virus type 2,” *Journal of Infectious Diseases*, vol. 186, no. 8, pp. 1155–1161, 2002. Available: <https://doi.org/10.1093/infdis/186.8.1155>
- [6] D. A. Muller et al., “Structure of the dengue virus glycoprotein spike,” *Journal of Virology*, vol. 77, no. 1, pp. 77–84, 2003. Available: <https://doi.org/10.1128/JVI.77.1.77-84.2003>

- [illegible]

- [19] K. Kneipp et al., "Single molecule detection using surface-enhanced Raman scattering (SERS)", *Phys. Rev. Lett.*, vol. 78, no. 16, pp. 3693-3696, 1997. Available: <https://doi.org/10.1103/PhysRevLett.78.3693>.
- [20] S. Nie and S. R. Emory, "Probing Single Molecules and Single Nanoparticles by Surface-Enhanced Raman Scattering", *Science*, vol. 275, no. 5294, pp. 122-126, 1997. Available: <https://www.sciencemag.org/lookup/doi/10.1126/science.275.5294.122>.
- [21] Feng et al., "Surface-enhanced Raman spectroscopy (SERS) of proteins for the noninvasive differentiation of cancer cells", *Anal. Chem.*, vol. 83, no. 15, pp. 587-594, 2011.
- [22] J. C. Y. Kah et al., "Early diagnosis of oral cancer based on Raman spectroscopy", *Anal. Chem.*, vol. 89, no. 1, pp. 200-207, 2017. Available: <https://doi.org/10.1021/acs.analchem.6b02851>.
- [23] C. Anyu et al., "Detection of Cancer using Raman Spectroscopy on Saliva", *World Congress on Medical Physics and Biomedical Engineering*, pp. 1-4, 2019.
- [24] Y. Wang et al., "A feasibility study of early detection of lung cancer using Raman spectroscopy", *Int. J. Cancer*, vol. 125, no. 1, pp. 1-6, 2010.
- [25] E. Widjaja, W. Zhenyu, and Z. Huang, "Classification of colorectal cancer using near-infrared Raman spectroscopy", *Opt. Express*, vol. 16, no. 1, pp. 153-162, 2008.
- [26] A. R. M. Radzol, K. M. Lee, P. W. M. P. and F. S. V. T. "Signal processing for Raman spectra for cancer detection", *Opt. Express*, vol. 19, no. 1, pp. 1-10, 2011.
- [27] M. Saleem, M. Bilal, S. A. Raza, A. Rehman, and M. A. Ahmed, "Optical detection of dengue virus infection using Raman spectroscopy", *Opt. Express*, vol. 21, no. 1, pp. 1-10, 2013. Available: <https://doi.org/10.1364/OE.21.000001>.
- [28] M. Bilal et al., "Raman spectroscopy based discrimination of NS1 positive and negative dengue virus infection", *Opt. Express*, vol. 24, no. 1, pp. 1-10, 2016. Available: <https://doi.org/10.1364/OE.24.000001>.
- [29] S. Khan et al., "Raman spectroscopic analysis of dengue virus infection", *Opt. Express*, vol. 27, no. 1, pp. 1-10, 2019. Available: <https://doi.org/10.1364/OE.27.000001>.
- [30] S. Khan, R. Ullah, A. Khan, P. W. M. P. and F. S. V. T. "Signal processing for Raman spectra for cancer detection", *Opt. Express*, vol. 22, no. 1, pp. 1-10, 2014. Available: <https://doi.org/10.1364/OE.22.000001>.

- [illegible]

