

Anas Ibrahim

Civil Engineering Studies, College of Engineering, Universiti Teknologi MARA, Cawangan Pulau Pinang

Azura Ahmad

Civil Engineering Studies, College of Engineering, Universiti Teknologi MARA, Cawangan Pulau Pinang

Muhammad Luqman Azuddin Fitri

Civil Engineering Studies, College of Engineering, Universiti Teknologi MARA, Cawangan Pulau Pinang

Noryani Natasha Yahaya

Civil Engineering Studies, College of Engineering, Universiti Teknologi MARA, Cawangan Pulau Pinang

Faizah Kamarudin

Civil Engineering Studies, College of Engineering, Universiti Teknologi MARA, Cawangan Pulau Pinang

Muhammad Sofian Abdullah

Civil Engineering Studies, College of Engineering, Universiti Teknologi MARA, Cawangan Pulau Pinang

Abstract

The conventional geotechnical investigation method using borehole drilling and sampling was usually



Keyword: borehole, railway track, soil subgrade, electrical resistivity, geophysical.

DOI: https://doi.org/10.24191/esteem.v19iMarch.21166

References:

[1]S. Abd Aziz, R. Kassim, and M. I. Mohd Masirin, "Railway Development and the Impact to Malaysian

[2]D. Li, J. Hyslip, T. Sussmann, and S. Chrismer, "Substructure. In Railway Geotechnics, 2015, https://d

[3]D. Li and E. T. Selig, "Evaluation of railway subgrade problems," Transp Res Rec, 1995.

[4]S. Srivastava, S. K. Pal, and R. Kumar, "A time-lapse study using self-potential and electrical resistivit

[5]H. Jusoh, and S. B. S. Osman, "The Correlation between Resistivity and Soil Properties as an Alterna

[6]S. B. S. Osman, M. N. Fikri, and F. I. Siddique, "Correlation of electrical resistivity with some soil para

[7]C. S. T. Tongun, "Correlation of Field and Laboratory Electrical Resistivity with Strength Properties of

[8]R. Arjwech, and M. E. Everett, "Application of 2D electrical resistivity tomography to engineering proje

[9]M, M. B., Osman, S. B. A. B. S., and W. H. Qazi, "Effects of shear strength properties on electrical re

[10]I. N. Simpen, N. Dewi, and I. Aribudiman, "Relationship between resistivity and soil strength based of

[11]A. G. Amaya, T. Dahlin, G. Barmen, and J. E. Rosberg, "Electrical resistivity tomography and induce

[12]N. Skehan, "Towards two-dimensional infiltration measurement in complex and variable soil environi

[13]Geological Map of Peninsular Malaysia, JMG, 2014.

[14] M. F. Ahmad, D. Jamaluddin, E. Y. A. Rani and T. J. T. Sulong, "Geotechnical properties of clay soi

[15]A. S. Akingboye and A. C. Ogunyele, "Insight into seismic refraction and electrical resistivity tomogra

[16]M. M. Nordiana, A. A. Bery, Z. M. Taqiuddin, M. Jinmin, I. A. Abir, "2-D Electrical Resistivity Tomogra

[17]F. Ahmad, A. S. Yahaya, and M. A. Farooqi, "Characterisation and Geotechnical Properties of Penal

[18]C. V. O. Amadasun, A. I. Odeh, and A. G. Usifo. "Effects of Near Subsurface Structures in Pos Linea

[19] A. K. Abd Malik, A. Madun, Md Dan, M. F. Abu Talib, M. K. Pakir, F. Ahmad Tajudin, S. A. Zahari, M

[20]S. H. Hassan, N. Ahzahar, and J. Eman, "Construction Waste Management Methods Used by Contr

[21]T. Yean-chin, and L. Peir-tien. Not published "Ground Treatment Design for 200km Electrified Doubl

[22]A. J. L. Meng Siang, and M. A. A. Izzudini, "The Behaviour of Remolded Batu Pahat Soft Clay with D